according to WHS Regulations

Printing date 08.02.2021 Version number 6 Revision: 13.11.2020

1 Identification

- · Product identifier
- · Trade name: Avesta FinishOne Passivator 630
- · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Surface treatment of stainless and high alloyed steels
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

voestalpine Böhler weldCare AB Stenåldersgatan 7 213 76 Malmö, Sweden Tel: +46 (0)40 - 28 83 00 www.voestalpine.com/welding

Midway Metals 54-66 Smeaton Ave, Dandenong VIC 3175 Australia STEPHEN COLLING woody @midwaymetals.com.au M+61 403 059 629

-

· Further information obtainable from:

Mats Lundahl

+46 (0) 40 28 83 00; Mats.Lundahl@voestalpine.com ·

Emergency telephone number:

Stephen Colling +61 403 059 629

2 Hazard(s) Identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).
- Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labelling:

hydrogen peroxide solution

· Hazard statements

Causes skin irritation.

Causes serious eye damage.

· Precautionary statements

Keep only in original container.

Avoid breathing spray.

(Contd. on page 2)

voestalpine Böhler Welding

Page 2/7

Safety Data Sheet

according to WHS Regulations

Printing date 08.02.2021 Version number 6 Revision: 13.11.2020

Trade name: Avesta FinishOne Passivator 630

(Contd. of page 1)

Wear protective gloves / eye protection.

IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

IF ON SKIN: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

7722-84-1 hydrogen peroxide solution

2.5-5%

♠ Ox. Liq. 1, H271♠ Skin Corr. 1, H314

🔥 Acute Tox. 4, H302; Acute Tox. 4, H332

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- · Description of first aid measures
- · General information: Seek medical treatment.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Seek medical treatment.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire Fighting Measures

- Extinguishing media
- · Suitable extinguishing agents: Suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Wear fully protective suit.

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Use respiratory protective device against the effects of fumes/dust/aerosol.

(Contd. on page 3)

voestalpine Böhler Welding

Page 3/7

Safety Data Sheet

according to WHS Regulations

Printing date 08.02.2021 Version number 6 Revision: 13.11.2020

Trade name: Avesta FinishOne Passivator 630

(Contd. of page 2)

· Environmental precautions:

Not applicable

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

- · Handling:
- · Precautions for safe handling Ensure that suitable extractors are available on processing machines
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Prevent any seepage into the ground.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in 5-35° C. Heat and sunlight will increase pressure and may lead to the bottle to swell.

· Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

- · Control parameters
- Ingredients with limit values that require monitoring at the workplace:

7722-84-1 hydrogen peroxide solution

WES Long-term value: 1.4 mg/m³, 1 ppm

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

Respiratory protection:

Not necessary if room is well-ventilated.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Filter BE P3

(Contd. on page 4)

according to WHS Regulations

Printing date 08.02.2021 Version number 6 Revision: 13.11.2020

Trade name: Avesta FinishOne Passivator 630

(Contd. of page 3)

· Protection of hands:



Protective gloves

Neoprene gloves

· Penetration time of glove material

> 8 h

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and Chemical Properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Liquid
Colour: Colourless
Odour: Pungent
Odour threshold: Not determined.

• **pH-value at 20 °C:** 6.5

· Flash point: Not applicable.

· Flammability (solid, gas): Not applicable.

Decomposition temperature: Not determined.

Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

Lower:Not determined.Upper:Not determined.

Density at 20 °C: 1 g/cm³
Relative density

Relative density
 Vapour density
 Evaporation rate
 water:
 Not determined.
 Not determined.
 Fully miscible.

· Partition coefficient: n-octanol/water: Not determined. · Dynamic at 20 °C: 10000 mPas

• Dynamic at 20 °C: 10000 mPas • Kinematic: Not determined.

(Contd. on page 5)

according to WHS Regulations

Printing date 08.02.2021 Version number 6 Revision: 13.11.2020

Trade name: Avesta FinishOne Passivator 630

		(Contd. of page 4)
· Solvent separation test:		
Solids content:	0.0 %	
· Other information	No further relevant information available.	

10 Stability and Reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity
- · Primary irritant effect:
- · Skin corrosion/irritation Irritant to skin and mucous membranes.
- · Serious eye damage/irritation Strong irritant with the danger of severe eye injury.
- · Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

12 Ecological Information

- Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

AU

according to WHS Regulations

Printing date 08.02.2021 Version number 6 Revision: 13.11.2020

Trade name: Avesta FinishOne Passivator 630

(Contd. of page 5)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Must be specially treated adhering to official regulations.

After prior treatment product has to be landfilled or incinerated adhering to the regulations pertaining to the disposal of especially hazardous waste.

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Packagings that may not be cleansed are to be disposed of in the same manner as the product.

Recommended cleansing agents:

Water, if necessary together with cleansing agents.

Diluted caustic solution.

14 Transport info	rmation
-------------------	---------

ADG, ADN, IMDG, IATA	Void
· UN proper shipping name · ADG, ADN, IMDG, IATA	Void
Transport hazard class(es)	
ADG, ADN, IMDG, IATA	
· Class	Void
Packing group	
ADG, IMDG, IATA	Void
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Ann	ex II of
Marpol and the IBC Code	Not applicable.
UN "Model Regulation":	-
-	Void

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Australian Inventory of Industrial Chemicals

7722-84-1 hydrogen peroxide solution

· Standard for the Uniform Scheduling of Medicines and Poisons

7722-84-1 hydrogen peroxide solution

S5, S6, S10

· Australia: Priority Existing Chemicals

None of the ingredients is listed.

(Contd. on page 7)

according to WHS Regulations

Printing date 08.02.2021 Revision: 13.11.2020 Version number 6

Trade name: Avesta FinishOne Passivator 630

(Contd. of page 6)

- · GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).
- Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling:

hydrogen peroxide solution

· Hazard statements

Causes skin irritation.

Causes serious eye damage.

· Precautionary statements

Keep only in original container.

Avoid breathing spray.

Wear protective gloves / eye protection.

IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

IF ON SKIN: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Additional information:

· Relevant phrases

H271 May cause fire or explosion; strong oxidiser.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H332 Harmful if inhaled.

· Training hints -

· Contact:

Abbreviations and acronyms:

NCEC - National Chemical Emergency Centre (=Carechem24)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany) PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Ox. Liq. 1: Oxidizing liquids - Category 1

SX. Ltd. 1. Oxhaling liquids — Category 4
Acute Tox. 4: Acute toxicity — Category 4
Skin Corr. 1: Skin corrosion/irritation — Category 1
Skin Irrit. 2: Skin corrosion/irritation — Category 2
Eye Dam. 1: Serious eye damage/eye irritation — Category 1

· * Data compared to the previous version altered.